

HIGHCOM

A R M O R



2026 CATALOG



VISIT HIGHCOMARMOR.COM

WHO WE ARE

HighCom Armor designs, manufactures, and sells the most advanced, cutting-edge ballistic systems upholding the highest standards of excellence through relentless innovation.

WE ARE DEDICATED TO ADVANCING THE SAFETY AND SECURITY OF THOSE WHO SERVE AND PROTECT.

HighCom Armor delivers the lightest, toughest ballistic protection through an unwavering commitment to quality, reliability, and high-performance standards.

WE'VE GOT YOU COVERED WHEN EVERY OUNCE AND EVERY SECOND COUNTS.



HIGHCOM
A R M O R

OUR MISSION

OUR VALUES

INDEX

ABOUT US

Manufacturing Excellence	04
Ballistics Testing & R&D Center	06
Innovation & Technology XTclave™	08
Contract Vehicles & Strategic Suppliers	10
Icons	12

PLATES

Ballistic Threats Tested	14
Level IV	17
Level III+	18
Level III	20
	24

HELMETS

Level IIIA	26
Stats/Options/Ballistic Threats	28
Helmet Accessories	29
	30

SHIELDS

Ballistic Threats Tested & Weights	36
Level IIIA	38
Level III (RF1)	40
Level III (RF2)	42
Shield Accessories/Options	43
	44

SOFT ARMOR


Ballistic Threats Tested	46
Level II	48
Level IIIA	49
Panel Cuts	50
Soft Armor Accessories	51
	52

CARRIERS

K9	54
Gear & Accessories	60
ID Placards	61
	62

POUCHES

Ammunition & Magazine Pouch	64
Utility & Misc. Pouches	66
Less Lethal Pouches	67
	67



MANUFACTURING EXCELLENCE

DESIGNED MANUFACTURED TESTED IN THE USA.

HighCom Armor is an American manufacturer based in Columbus, Ohio. Many of our employees have served or have personal ties to service members of military, law enforcement, and first responders. Our leadership in design and manufacturing control is grounded in experience, knowledge, and trust, fueled by a relentless pursuit of excellence for those who put their lives on the line.

HighCom Armor can be purchased by registered professionals and U.S. civilians and permanent residents at highcomarmor.com.

For nearly 30 years, HighCom has taken pride in producing a wide range of ballistic armor solutions, providing protection to the world's elite military and law enforcement, personnel, firefighters, and first responders - ALL WHO PROTECT.

With a commitment to quality and innovation, HighCom has successfully developed and commercialized dozens of armor solutions that meet or exceed the National Institute of Just (NIJ) and Military Specification (MIL-SPEC) testing standards.

THE ONLY STATS THAT MATTER



ARMOR SYSTEMS DEPLOYED
BY HIGHCOM ARMOR TO DATE

GOING BEYOND THE STANDARDS

HighCom Armor's in-house ballistic testing laboratory ensures the quality of our ballistic armor systems. Our products are rigorously tested in-house to meet U.S. and global ballistic standards:

- Products tested independently at NIJ-accredited labs to meet NIJ and ASTM standards
- DEA protocols
- Special Threat requirements
- CAST standards (UK)
- VPAM standards (Europe)

Our lab is capable of testing ammunition from .22 caliber up to .50 caliber in accordance with MIL-STD-662F V50, NATO STANAG 2920 FSP Testing, NATO STANAG 4569 Level 1-3, UL 752, NIJ 0101.04, NIJ 0101.06, NIJ 0101.07, NIJ 0106.01, NIJ 0108.01, including HOSDB and CAST.

Our R&D efforts go far beyond a ballistic laboratory by utilizing our extensive internal research and development library to improve thinner, lighter, and stronger ballistic-resistant body armor systems for the purpose of operator survivability.

Meeting and exceeding standards, including the National Institute of Justice (NIJ) and Military Standard (MIL-STD) body armor standards and testing protocols, HighCom's reputation in the defense space is like no other - grounded in a quality management system that is ISO 9001 certified and one of the only companies in the world to achieve BA9000 certification.



INNOVATION & TECHNOLOGY

Introducing XTclave™

LIGHTER, THINNER, STRONGER, TOUGHER.

The XTclave™ is an ultra-high isostatic pressure composite curing and consolidation technology.

HighCom Armor is proud to announce the U.S. launch of XTclave™ ballistic armor. Engineered and manufactured in our expanded Columbus, Ohio facility.

XTclave™ is the only technology of its kind in America, delivering the next evolution of mission-ready ballistic protection – a composite, curing and consolidation technology.

PERFORMANCE

- LIGHTER, THINNER - Higher fiber content for lighter weight and greater mobility.
- STRONGER, TOUGHER - Unmatched durability against advance threats.
- ONE-STEP INNOVATION - Proprietary isostatic pressure consolidation bonds ceramics and composites in a single process leading to faster cycle times and batch processing for high volume production.
- COMPLEX SHAPES MADE POSSIBLE - Plates are just the beginnng. Also good for lighter, stronger helmets and shields, and even ergonomically curved and female-fit armor.

**XTclave™ Technology is not just an upgrade—it's a revolution.
When every ounce and every second counts,
HighCom delivers the lightest, toughest protection available.**





CONTRACT VEHICLES

HighCom Armor possesses multiple contract vehicles and Consolidated Purchasing methods designed to streamline the procurement process for federal agencies, State, Local, Tribal, and Territorial (SLTT), non-profits, local communities, educational institutions, and a host of "non-traditional" end-users (houses of worship-HOR, Special Security Events-SSE) and high volume events, such as sporting and concert venues, acquire ballistic-resistant products and body armor. These programs ensure that groups benefit from the most competitive government direct pricing available. HighCom continually adds to the variety of acquisition conventions and has access to many more through our partner network. HighCom Armor is a longtime collaborator with BVP™, DOD Fedmall™, GSA®, and Sourcewell™.

GRANTS & GRANT SUPPORT

HighCom is committed to supporting the "end-users" of law enforcement, first responders, Emergency Medical Services (EMS), and Tactical EMS by providing grant assistance with quotes, comparisons, product technical specifications, and other services. Please get in touch with our Government Solutions Team to assist you with your needs, including "find a grant" and succinct counsel on government/non-government funding assistance.



STRATEGIC SUPPLIERS / ROBUST SUPPLY CHAIN

Our quality begins with robust relationships and incredible guidance with the world's critically advanced raw material manufacturers and strategic distribution partners. Our preferred partners use world class materials and sourced on a local, state and national continuum.

Through our robust supply chain management, we are honored to stand behind both the materials and the talented researchers, scientists, and professionals of our critical partners.



The brands listed on this page represent current and historical customers and suppliers of HighCom. The use of a logo does not imply or suggest endorsement by any of these companies and is for informational purposes only. These logos or trademarks are used only to identify a brand, service, or product. All of the above trademarks are owned by such companies listed above.

ICONS

These icons are found throughout this catalog and highlight product key features and benefits.



SCAN THIS CODE TO LEARN MORE ABOUT OUR ROBUST PRODUCT TESTING AND EVALUATION PROGRAMS.



MADE IN USA

This product is 100% made in the USA at our manufacturing factory Columbus, Ohio.



NIJ TESTED

This product has been independently tested by an NIJ approved laboratory according to the NIJ 0101.06 & NIJ 0101.07 standard. (MODIFIED)



MADE IN XTCLAVE

This product has been made in XTClave™ Ultra-high Pressure Consolidation technology.



ULTRA THIN

This product features an ultra thin construction for a slim profile that is easily concealed.



NIJ CERTIFIED

This product is NIJ compliant and can be found on the NIJ's CPL (Compliant Product List).



NIJ 0101.06 TESTED

This product has been independently tested by an NIJ approved laboratory to the NIJ 0101.06 standard.



NIJ 0101.07 TESTED

This product has been independently tested by an NIJ approved laboratory to the NIJ 0101.07 standard.



MOLLE WEBBING

This product features MOLLE webbing for easy attachment of pouches/gear.



2005IR COMPLIANT

This product has been certified compliant to NIJ Standard 0101.04 (2005IR).



NIJ 0108.01 TESTED

This product has been independently tested by an NVLAP accredited NIJ approved laboratory to NIJ 0108.01.



NIJ 0106.01 TESTED

This product has been independently tested by an NVLAP accredited NIJ approved laboratory to NIJ 0106.01.



LOW VIS

This product features a slim profile for low visibility.



FBI TESTED

This product meets or exceeds FBI requirements and has been tested by an NIJ approved laboratory.



BERRY COMPLIANT

Product meets the sourcing and manufacturing rules set out in the Berry Amendment.



ANTI-SPALL COATING

This product is coated with Rhino Extreme™ 11-50 Anti-Spall System.



BREATHABLE

This product features breathable fabric designed to keep you cool and comfortable.



LIGHTWEIGHT

This product is lightweight.



SUPER-LIGHT

This product is super-light and ideal for operators looking for a lowest possible weight.



POSITIVE BUOYANCY

This product floats in water.



MOISTURE WICKING

This product utilizes moisture-wicking, anti-microbial material.



WATER RESISTANT

This product has a Ripstop water-resistant cover.



WATER REPELLENT

This product has been treated with DWR package for water-resistance.



DURABLE

This product has been constructed with durable.



ACCEPTS RIFLE ARMOR

This product has plate pockets that are compatible with rifle armor plates.



DEA COMPLIANT

This product has been tested to DEA Hard Armor Protocol Compliant by an NIJ approved laboratory.



DEA TESTED

This product meets and/or exceeds DEA standards.



MULTI-HIT

This product protects against multiple shot impacts.



MODULAR

This product allows for multiple attachments / customizable modular system set-up.



MIL-STD 622F/V50

This product has been tested by NIJ approved laboratory against frag resistance to MIL-STD-662F standard.



TAA COMPLIANT

Meets the USA Trade Agreement Acts.



RST VALIDATED

This product has been Rifle Special Threats (RST) Validated.



SCALABLE

This product is compatible with our Protector soft armor carrier attachments.





RIFLE ARMOR

BALLISTIC RESISTANT PLATES

IN THIS SECTION

Ballistic Threats Tested

Level IV (RF3)

Level III ++ (RF2)

Level III + (RF1)



BALLISTIC THREATS TESTED


NIJ0101.06 Level IV	RF3 NIJ0101.07
4sas7, 4s17, 4s17m	
NIJ .30 Caliber, 166gr, Armor Piercing M2AP	
Additional threats include RF2, RF1, Special Threat 1	

NIJ0101.06 Level III++	RF2 NIJ0101.07
3s21m, RSTP	
5.56 x 45mm, 62gr, M855 (Green Tip)	
7.62 x 51mm FMJ, 147 gr, Steel Jacketed Bullets (M80)	
7.62 x 39mm, 123 gr, Mild Steel Core	
5.56 x 45mm, 55 gr, M193 FMJ	
3s9, 3s9m - Additional threats include Special Threat 1	

NIJ0101.06 Level III+	RF1 NIJ0101.07
3i10m, 3s7m, 3s18, 3s18m	
7.62 x 51mm FMJ, 147 gr, Steel Jacketed Bullets (M80)	
7.62 x 39mm, 123 gr, Mild Steel Core	
5.56 x 45mm, 55 gr, M193 FMJ	
3s18, 3s18m - Additional threats include Special Threat 2	

Special Threat 2

3s18, 3s18m
.223 SCS, 55 gr, Brush Hog



Special Threat 1

4sas7, 4s17, 4s17m, 3s9, 3s9m		
DEA 2017, 7.62x51mm FMJ, 147 gr, Steel Jacketed (M80)	DEA 2017, .308, Winchester PSPB 150 gr, Core-Lokt Ultra Bonded	7.62x63mm, 150 gr, - JSP
DEA 2017, 5.56x45mm, 62 gr, M855 (Green Tip)	7.62x39mm, 122 gr, (BZ API)	Rifle AK-47, 123 gr, M, SKS 7.62x39mm Ball
DEA 2017, 7.62x39mm, 123 gr, Mild Steel Core	7.62x51mm, 150.5 gr, (M61 AP)	12 gauge, 437.5 gr, 2-3/4-in mag., 1 oz. slug
DEA 2017, .223, 62 gr, Remington Tactical Bonded Soft Point	7.62x54R, 148 gr, (LPS)	5.56x45mm, 62 gr, M855A1

LEVEL IV (RF3)



4sas7™ • Icon Product Range

The 4sas7™ is a cost-effective Level IV stand alone plate providing armor piercing protection. Engineered with a ceramic strike face and composite backing, the 4sas7 is certified compliant by NIJ to NIJ Standard 0101.04 (2005IR). Additional testing to DEA protocol as well as rifle special threats. Built in Columbus, Ohio. The 4sas7™ is part of our Icon Product Range.

+ NIJ Standard 0101.04 (2005IR):

This product has been certified compliant by NIJ.

+ Protection Level:

Level IV Stand Alone Armor Piercing

+ Key Advantages:

Multi-Hit Capability

+ DEA:

Hard Armor Protocol Ballistics

+ RST:

Rifle Special Threats Validated

+ Cuts:

Available in 8"x10" and 10"x12" Shooter and SAPI(S-L).

(10"x12" shooters cut is considered nominal 9.5"x11.5" dimensions)

Custom cuts available on special order.

+ Thickness:

0.75" / 19mm

+ Material:

Ceramic strike face composite backing

+ Exterior Cover:

1000D CORDURA®, Textured Nylon

+ Warranty:

5 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship.

4s17™ • Icon Product Range

The 4s17™ is a Level IV stand-alone rifle plate designed to provide protection against armor-piercing rifle threats. Constructed with a ceramic strike face and composite backing, the 4s17™ offers high-performance ballistic resistance while maintaining a cost-effective design. The plate is NIJ 0101.06 Certified, DEA-compliant, and listed on the NIJ Compliant Product List (CPL). Manufactured in Columbus, Ohio. The 4s17™ is part of our Icon Product Range.

+ NIJ Standard 0101.06 CERTIFIED:

This product is NIJ 0101.06 compliant and can be found on the NIJ's CPL (Compliant Product List).

+ Protection Level:

Level IV Stand Alone Armor Piercing

+ Key Advantages:

Multi-Hit Capability

+ DEA:

Hard Armor Protocol Ballistics

+ RST:

Rifle Special Threats Validated

+ Cuts:

Available in 10"x12" Shooter and 6"x6" Full side plate Single-Curve.

(10"x12" shooters cut is considered nominal 9.5"x11.5" dimensions)

Custom cuts available on special order.

+ Thickness:

0.95" / 24mm

+ Material:

Ceramic strike face composite backing

+ Exterior Cover:

1000D CORDURA®, Textured Nylon

+ Warranty:

10 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship.

4s17m™ • Icon Product Range

The 4s17m™ is one of our top selling rifle armor solutions. It is a Level IV standalone, multi-curve rifle plate providing affordable armor-piercing protection. Built with a ceramic strike face, it offers certified ballistic performance, ergonomic fit, and durability for operational use. NIJ 0101.06 Level IV Certified, CPL listed, and DEA compliant. Manufactured in Columbus, Ohio. The 4s17m™ is part of our Icon Product Range.

+ NIJ Standard 0101.06 CERTIFIED:

This product is NIJ 0101.06 compliant and can be found on the NIJ's CPL (Compliant Product List).

+ Protection Level:

Level IV Stand Alone Armor Piercing

+ Key Advantages:

Multi-Hit Capability

+ DEA:

Hard Armor Protocol Ballistics

+ RST:

Rifle Special Threats Validated

+ Cuts:

Available in 10"x12" Shooter and SAPI (S-L) Multi-Curve.

(10"x12" shooters cut is considered nominal 9.5"x11.5" dimensions)

Custom cuts available on special order.

+ Thickness:

0.95" / 24mm

+ Material:

Ceramic strike face composite backing

+ Exterior Cover:

1000D CORDURA®, Textured Nylon

+ Warranty:

10 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship.



LEVEL III ++ (RF2)



Shooter Cut

Full Cut



SAPI Cut

Shooter Cut



SAPI Cut

Shooter Cut

3s9™ • Icon Product Range

Favored by law enforcement agencies across the country the 3s9™ is a single-curve Level III++ stand alone rifle plate. Engineered from ceramic and UHMWPE, the 3s9™ offers operators a lightweight and high-performing rifle solution. NIJ 0101.06 compliant, the 3s9™ is listed on NIJ's CPL (Compliant Product List) as well tested to DEA hard armor protocol standards and special threats. The 3s9™ is part of our Icon Product Range. Built in Columbus, OH.

+ NIJ Standard 0101.06 CERTIFIED:

This product is NIJ 0101.06 compliant and can be found on the NIJ's CPL (Compliant Product List).

+ Protection Level:

Level III++ Stand Alone High Velocity Rifle Rounds

+ Key Advantages:

Lightweight and Multi-Hit Capability

+ DEA:

Hard Armor Protocol Ballistics

+ RST:

Rifle Special Threats Validated

+ Cuts:

Available in 10"x12" Shooter and 6"x6" Full side plate Single-Curve. (10"x12" shooters cut is considered nominal 9.5"x11.5" dimensions) *Custom cuts available on special order.*

+ Thickness:

1.15" / 29mm

+ Material:

Ceramic + UHMWPE

+ Exterior Cover:

1000D CORDURA®, Textured Nylon

+ Warranty:

10 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship.

3s9m™ • Icon Product Range

Favored by law enforcement agencies across the country the 3s9m™ is a multi-curve Level III++ stand alone rifle plate. Engineered from ceramic and UHMWPE, the 3s9m™ offers operators a lightweight and high-performing rifle solution. NIJ 0101.06 compliant, listed on NIJ's CPL (Compliant Product List) as well tested to DEA hard armor protocol standards and special threats. The 3s9m™ is part of our Icon Product Range. Built in Ohio.

+ NIJ Standard 0101.06 CERTIFIED:

This product is NIJ 0101.06 compliant and can be found on the NIJ's CPL (Compliant Product List).

+ Protection Level:

Level III++ Stand Alone High Velocity Rifle Rounds

+ Key Advantages:

Lightweight and Multi-Hit Capability

+ DEA:

Hard Armor Protocol Ballistics

+ RST:

Rifle Special Threats Validated

+ Cuts:

Available in 10"x12" Shooter and SAPI (S-L) Multi-Curve. (10"x12" shooters cut is considered nominal 9.5"x11.5" dimensions) *Custom cuts available on special order.*

+ Thickness:

1.15" / 29mm

+ Material:

Ceramic + UHMWPE

+ Exterior Cover:

1000D CORDURA®, Textured Nylon

+ Warranty:

10 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship.

3s21m™ • Enhanced Product Range

The 3s21m™ is a super-lightweight, multi-hit hard armor plate engineered for maximum performance and reliability. Proudly manufactured in Columbus, Ohio, it is part of our Enhanced Product Range, delivering advanced protection while maintaining exceptional mobility.

+ NIJ Standard 0101.07(RF2) TESTED:

This product has been independently tested by an NIJ approved laboratory according to the NIJ 0101.07 standard.

+ Protection Level:

RF2 Stand Alone

+ Key Advantage:

Super-Lightweight and Multi-Hit Protection

+ Cuts:

10"x12" Shooter Cut or SAPI Multi-Curve (M-L) (10"x12" shooters cut is considered nominal 9.5"x11.5" dimensions) *Custom cuts available on special order.*

+ Thickness:

0.83" / 21mm

+ Process:

XTclave™ ultra-high pressure consolidation

+ Material:

Ceramic with UHMWPE backing

+ Exterior Cover:

1000D CORDURA®, Textured Nylon

+ Warranty:

5 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship.





RSTP™ • Icon Product Range

The RSTP™ (Rifle Special Threat Plate) is a multi-hit, super-lightweight, high-performance plate designed to defeat Level III+/RF2 rifle and special threats when worn in conjunction with Level IIIA soft armor. Engineered with a ceramic strike face and PE backing, the RSTP™ has been independently tested by an NIJ approved laboratory according to the NIJ standard of protection (MODIFIED SAPI). The RSTP™ is part of our Icon Product Range. Built in Columbus, Ohio.

+ NIJ Standard 0101.06 TESTED:

This product has been independently tested by an NIJ approved laboratory according to the NIJ 0101.06 standard. (MODIFIED SAPI)

+ Protection Level:

Rifle Special Threat and Multi-Hit Capable ICW recommended to be worn with Level IIIA Soft Armor. Available at HighCom.

+ Key Advantages:

Super-Lightweight, Low-Visibility, Multi-Hit Capability and Ultra-Thin

+ RST:

Rifle Special Threats Validated

+ Cuts:

Available in Single-Curve and Multi-Curve 10"x12" Shooter or SAPI(S-L) Multi-Curve. (10"x12" Shooter cut is considered nominal 9.5"x11.5" dimensions) *Custom cuts available upon request.*

+ Thinness:

0.55" / 14mm

+ Material:

Ceramic with UHMWPE backing

+ Exterior Cover:

1000D CORDURA®, Textured Nylon

+ Warranty:

5 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship.



LEVEL III + (RF1)



SAPI Cut

Shooter Cut



Full Cut

Shooter Cut



SAPI Cut

Shooter Cut



SAPI Cut

Shooter Cut

3i10m™ • Enhanced Product Range

Super-light and extremely thin (less than half an inch) the 3i10m™ provides low visibility protection against Level III+/RF1 rifle and special threats when worn in conjunction with Level IIIA soft armor. The 3i10m™ is part of our Enhanced Product Range. Built in Columbus, Ohio.

+ NIJ Standard 0101.06(level III), 0101.07(RF1) TESTED:

This product has been independently tested by an NIJ approved laboratory according to the NIJ 0101.06 and NIJ 0101.07 standard. (MODIFIED)

+ Protection Level:

Level III+ ICW must be worn with Level IIIA Soft Armor.

+ Key Advantages:

Ultra-Thin, Positive Buoyancy, Ultra-Low Visibility, Super-Lightweight, and Multi-Hit Capability

+ RST:

Rifle Special Threats Validated

+ Cuts:

10"x12" Shooter Cut or SAPI Multi-Curve (M-L)(10"x12" shooters cut is considered nominal 9.5"x11.5" dimensions) *Custom cuts available on special order.*

+ Thickness:

0.47" / 12mm

+ Process:

XTclave™ ultra-high pressure consolidation

+ Material:


100% DSM Dyneema® UHMWPE

+ Exterior Cover:

Polyurea Rhino Extreme™ 11-50 Anti Spall Coated System

+ Warranty:

5 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship.



3s18™ • Enhanced Product Range

Lightweight Level III stand alone rifle armor plate the 3s18™ is engineered from UHMWPE. Featuring a single-curve profile, positive buoyancy, and multi-hit protection. The 3s18™ is NIJ 0101.06 certified compliant and listed on the NIJ's CPL (Compliant Product List). The 3s18™ is part of our Enhanced Product Range. Built in Columbus, Ohio.

+ NIJ Standard 0101.06 CERTIFIED:

This product is NIJ 0101.06 compliant and can be found on the NIJ's CPL (Compliant Product List).

+ Protection Level:

Level III Stand Alone High Velocity Rifle Rounds

+ Key Advantages:

Lightweight, Multi-Hit Capability and Positive Buoyancy

+ RST:

Rifle Special Threats Validated

+ Cuts:

Available in 6"x6" Full Cut and 10"x12" Shooter Single-Curve. (10"x12" shooters cut is considered nominal 9.5"x11.5" dimensions) *Custom cuts available on special order.*

+ Thickness:

1.25" / 32mm

+ Material:


Lightweight UHMWPE based hard armor plate

+ Exterior Cover:

1000D CORDURA®, Textured Nylon

+ Warranty:

10 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship.



3s18m™ • Enhanced Product Range

A lightweight Level III stand alone rifle armor plate. Engineered from UHMWPE, the 3s18m™ features a multi-curve profile, positive buoyancy, and multi-hit protection. The 3s18m™ is NIJ 0101.06 certified compliant and listed on the NIJ's CPL (Compliant Product List). The 3s18m™ is part of our Enhanced Product Range. Built in Columbus, Ohio.

+ NIJ Standard 0101.06 CERTIFIED:

This product is NIJ 0101.06 compliant and can be found on the NIJ's CPL (Compliant Product List).

+ Protection Level:

Level III Stand alone High Velocity Rifle Rounds

+ Key Advantages:

Lightweight, Multi-Hit Capability and Positive Buoyancy

+ RST:

Rifle Special Threats Validated

+ Cuts:

Available in 10"x12" Shooter and SAPI Multi-Curve (M-L). (10"x12" shooters cut is considered nominal 9.5"x11.5" dimensions) *Custom cuts available on special order.*

+ Thickness:

1.25" / 32mm

+ Material:

Lightweight UHMWPE based hard armor plate

+ Exterior Cover:

1000D CORDURA®, Textured Nylon

+ Warranty:

10 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship.



3s7m™ • Superior Product Range

The 3s7m™ is a top-of-the-line, super-light, and thin plate designed for low-visibility protection. Rated RF1 Stand Alone, it offers positive buoyancy and exceptional performance. Proudly built in Columbus, Ohio, the 3s7m™ is part of our Superior Product Range.

+ NIJ Standard 0101.07(RF1) TESTED:

This product has been independently tested by an NIJ approved laboratory according to the NIJ 0101.07 standard.

+ Protection Level:

RF1 Stand Alone

+ Key Advantages:

Ultra-Thin, Positive Buoyancy, Low Visibility, Super-Lightweight and Multi-Hit Capability

+ RST:

Rifle Special Threats Validated

+ Cuts:

10"x12" Shooter Cut or SAPI Multi-Curve (M-L) (10"x12" shooters cut is considered nominal 9.5"x11.5" dimensions) *Custom cuts available on special order.*

+ Thickness:

0.57" / 15mm

+ Process:

XTclave™ ultra-high pressure consolidation

+ Material:


Super lightweight UHMWPE based hard armor plate

+ Exterior Cover:

1000D CORDURA®, Textured Nylon

+ Warranty:

5 years on all ballistic material excluding exterior cover and 1 year on exterior cover material and workmanship.





HEAD PROTECTION

ENHANCED COMBAT HELMETS

IN THIS SECTION

ECH Helmets

Helmet Stats/Helmet Options/Ballistic Threats Tested

Helmet Accessories

- + Suspension System
- + Retention System
- + Accessories
- + Face Shields
- + Shrouds

LEVEL IIIA



STANDARD CUT (ECH)

HIGH CUT (ECHHC)

HighComECH(HC) (Enhanced Combat Helmet™) • Icon Product Range

The HighCom Enhanced Combat Helmet (ECH™) series is offered in two configurations: the standard-cut (ECH™) and the high-cut (ECHHC™). Both models provide Level IIIA ballistic and fragmentation protection and are tested to NIJ Standard 0106.01. Constructed from hybridized Kevlar® and UHMWPE Spectra® fibers, both the ECH™ models come equipped with the D30® HALO™ 7-pad impact system and HighCom's 4-point retention harness. Multiple harness and interior pad upgrade options are available.

+ NIJ Standard 0106.01 TESTED:

This product has been independently tested by an NVLAP accredited NIJ approved laboratory to meet or exceed ballistic resistance as specified under NIJ Standard 0106.01.

+ Protection Level:

Level IIIA including frag protection.

+ MIL-STD-662F:

This product has been independently tested by an NVLAP accredited NIJ approved laboratory against frag resistance as specified under MIL-STD-662F.

+ Materials: Kevlar® fibers and thermoset resin shell construction

+ Head Protection: Front, back, crown, and side of the head

+ Adjustable Harness: Comes standard with HighCom's Standard 4pt Retention Harness. Other optional upgrades available.

+ Padding: Comes standard with D30® HALO™ 7-pad helmet system. Other optional upgrades available.

+ Sizing: Circumference is measured around the head, similar to hat sizing. All sizes are measured in inches. If a measurement falls on a dividing line between sizes, select the larger of the two sizes to ensure maximum ballistic protection.

+ Warranty: 5 years on all ballistic material excluding exterior cover, 1 year on exterior cover material and workmanship.



NIJ 0106.01 TESTED | LIGHT-WEIGHT | MULTI-HIT PROTECTION | MIL-STD 662F/V50 | TAA COMPLAINT



BOLTLESS (ECHB)

HighComECHB (Enhanced Combat Helmet Boltless™) • Enhanced Product Range

The HighCom Enhanced Combat Helmet Boltless (ECHB™) has been tested to NIJ Standard 0106.01 for Level IIIA threats and MIL-STD-662F for fragmentation. Made from Hybridized Kevlar® and UHMWPE Spectra® fibers. The ECHB comes standard with D30® Halo™ 3-liner helmet system, HighCom Advanced 4PT Adjustable Retention, ECH Rails & Picatinny, Velcro Pattern System, Bungee System and only uses the Unity SUMMIT™ Shroud. Multiple interior pad upgrade options are available.

+ NIJ Standard 0106.01 TESTED:

This product has been independently tested by an NVLAP accredited NIJ approved laboratory to meet or exceed ballistic resistance as specified under NIJ Standard 0106.01.

+ Protection Level:

Level IIIA including frag protection.

+ MIL-STD-662F:

This product has been independently tested by an NVLAP accredited NIJ approved laboratory against frag resistance as specified under MIL-STD-662F.

+ Materials: Kevlar® fibers and thermoset resin shell construction

+ Head Protection: Front, back, crown, and side of the head

+ Adjustable Harness: Comes standard with HighCom's Advanced 4pt Adjustable Retention Harness.

+ Padding: Comes standard with D30® HALO™ 3-pad helmet system. Other optional upgrades available.

+ Helmet Includes: ECH Rails & Picatinny, Velcro Pattern System, Bungee System and Unity SUMMIT™ Shroud.

+ Sizing: Circumference is measured around the head, similar to hat sizing. All sizes are measured in inches. If a measurement falls on a dividing line between sizes, select the larger of the two sizes to ensure maximum ballistic protection.

+ Warranty: 5 years on all ballistic material excluding exterior cover, 1 year on exterior cover material and workmanship.



NIJ 0106.01 TESTED | LIGHT-WEIGHT | MULTI-HIT PROTECTION | MIL-STD 662F | TAA COMPLAINT

HELMET STATS

SIZE AND WEIGHT CHARTS

SIZE	LENGTH	WIDTH	CIRCUMFERENCE
S	7.1" to 7.6"	5.6" to 6.0"	21.1" to 21.9"
M	7.6" to 7.9"	6.0" to 6.3"	21.9" to 22.7"
L	7.9" to 8.3"	6.3" to 6.5"	22.7" to 24"
XL	8.3" to 8.8"	6.5" to 7.1"	24" to 26"

SIZE	ECH	ECHHC	ECHB
S	1.9 lbs / .87 kg	1.7 lbs / .80 kg	1.7 lbs / .80 kg
M	2 lbs / .93 kg	1.8 lbs / .84 kg	1.8 lbs / .84 kg
L	2.2 lbs / 1 kg	1.9 lbs / .89 kg	1.9 lbs / .89 kg
XL	2.4 lbs / 1.1 kg	2 lbs / .94 kg	2 lbs / .94 kg

+/- .15 lbs / .068 kg -
Weight shown is shell weight only




AVAILABLE COLOR OPTIONS:



DEFEATS THE FOLLOWING THREATS

NIJ 0106.01 Level III A		HANDGUN THREATS			
PROJECTILE	GR	VEL FT/S	VEL M/S	(+/- FT/S)	(+/- M/S)
.357 Magnum Jacketed Soft Point (JSP)	158	1395	425	(+/- 50)	(+/- 15)
9mm Full Metal Jacketed Round Nose (FMJ RN)	124	1400	427	(+/- 30)	(+/- 9)
.44 Magnum Semi Jacketed Hollow Point (SJHP)	240	1400	427	(+/- 30)	(+/- 9)

MIL-STD-662F/V50 Level A		FRAG THREATS			
PROJECTILE	GR	VEL FT/S	VEL M/S	V50 FT/S	V50 M/S
US MIL-STD Frag 2 gr. RCC	2	4200	1280	4754	1449
US MIL-STD Frag 4 gr. RCC	4	3475	1059	3595	1096
US MIL-STD Frag 16 gr. RCC	16	2475	754	2457	749
US MIL-STD Frag 64 gr. RCC	64	1750	533	1877	572
US MIL-STD Frag 17 gr. FSP	17	2200	671	2221	677



HELMET ACCESSORIES



SUSPENSION SYSTEMS



D30₂

D30® HALO 7-Pad System - Included with ECH & ECHHC

The D30® HALO™ 7-pad helmet system provides extreme comfort and high-performance protection. Exceeds ACH blunt impact requirements (AR/PD 10-02) by 33% on average and maintaining consistent performance on second impact.



D30₂

D30® 3-Liner HALO™ - Included with ECHB

D30® HALO™ system comes with a customizable comfort liner featuring MIL-SPEC anti bacterial fabrics, a convertible crown pad for headset integration and 2 sizes to fit (S to XL).



HighCom 7-Pad System

The HighCom Standard 7-pad System is compatible with all HighCom Armor helmets. Available in ½", ¾", and 1" thick to ensure comfortable and precision fit. The suspension system consists of 7 fabric covered, single density foam pads and hook disc fasteners.



D30₂

D30® HALO™ 9-Pad System

The D30® HALO™ 9-pad system fits most ground combat helmets. Each helmet pad features a unique geometry that allows the pad to fit the shape of the head and offers superior deceleration under blunt impact tests. Great option for Comms Headset.

RETENTION SYSTEMS



HighCom Standard 4PT Retention - Included with ECH & ECHHC

HighCom's Standard 4pt Retention Harness with premium butterfly nape pad stabilizes the weight of the helmet for a secure and comfortable fit. Standard harness for most helmet models in black. *Tan and green colors are special order only.*


BLACK



HighCom Advanced 4PT Adjustable Retention - Included with ECHB

HighCom's Advanced 4pt Retention Harness allows for quick adjustment ensuring a secure and balanced fit for the operator.

BLACK






ACCESSORIES



ECH Rails & Picatinny

ECH Rail System with picatinny is an advanced helmet configuration platform. Designed for quick and easy attachment to secure head-borne accessories such as audio, video, and lighting systems for ECH style helmets. Compatible with all ECH models. *Comes standard on ECHB.*

Available Colors



Velcro System

The Velcro System is used when a rails and shroud application is required for additional critical mission equipment including illumination accessories, communication, counterweights, and identification placards. Compatible with all ECH models. *Comes standard on ECHB.*


Available Colors



Bungee

Bungee System for HighCom Armor's ECH Rail System provides additional support and stabilization for the NVG equipment. Compatible with all ECH style helmets. *Comes standard on ECHB.*

Available Colors



Velcro Dot Kit

Includes 20 (1 7/8") dots for ECH helmets. Available in black only. Stays pliable in extreme temperatures.

Available Colors



Carrying Bag

The Carrying Bag is designed to keep your helmet safe and secure when stored away. Nylon carrying bag fits a variety of helmet styles.

Available Colors



FACE SHIELDS



Paulson DK7-H.150-RC

Paulson Rail-Mount Tactical Face Shield attaches to rail system.



Paulson DK7-X.250AF

Paulson Rail-Mount Tactical Face Shield attaches to rail system.



Paulson DK7-X.250AF-RC

Paulson Rail-Mount Tactical Face Shield attaches to rail system.



Paulson DK6-X.250AFS

Paulson Rail-Mount Tactical Face Shield attaches to rail system.



Paulson DK6 COVER

Protective black Nylon fabric cover for all 8" models of the DK6 riot face shields (does not fit wire grid enhanced models).



Paulson DK7 COVER

The DK7 cover allows the proper storage of the face shield while it is on or off the helmet. Velcro closure for easy removal.



Paulson DK6-H.150

Paulson Rail-Mount Tactical Face Shield attaches to rail system.



Paulson DK6-H.150S

Universal field-mount tactical face shield fit PASGT & ACH style combat helmets.



Paulson DK6-X.250AF

Paulson Rail-Mount Tactical Face Shield attaches to rail system.



Paulson DK7-X.250AF-RCL

Paulson Rail-Mount Tactical Face Shield attaches to rail system.



SHROUDS



Unity SUMMIT™ Shroud



Yielding a more than 25% weight reduction from currently fielded NVG shrouds, the SUMMIT™ Three-Hole Shroud provides a superior strength-to-weight ratio. It secures night vision electro-optics, lights, cameras and other accessories with a proven fit that is sturdy and reliable. With an over-molded unibody construction, the SUMMIT™ shroud is durable in even the most austere environments, featuring a high-impact polymer shroud and a fixed over-molded stainless steel insert.

Available Colors

- BLACK
- TAN
- GREEN
- FOLIAGE
- COYOTE

Wilcox L4 Three-Hole Shroud



Wilcox L4 Three-Hole Shroud for ballistic advance combat helmets is the most precise and stable bracket platform for night vision devices. Wilcox's L4 shroud is drilled with the standard three-hole pattern and constructed from aerospace-grade aluminum and glass-reinforced polymer alloy construction the L4 is masterfully crafted for use in combat environments. The L4 is available with or without a NVG lanyard and available in 4 colors.

Available Colors

- BLACK
- TAN
- GREEN
- FOLIAGE



HIGHCOM PRODUCT SERIES

BALLISTIC RESISTANT SHIELDS

IN THIS SECTION


Ballistic Threats Tested

Ballistic Shields IIIA (HG2), III (RF1), III (RF2)


Shield Accessories/Options

BALLISTICS THREATS TESTED

NIJ0108.01 Level III +	RF1
B-III, Titan	
7.62 x 51mm FMJ, 147 gr, Steel Jacketed Bullets (M80)	
7.62 x 39mm, 123 gr, Mild Steel Core	
5.56 x 45mm, 55 gr, M193 FMJ	



NIJ0108.01 Level IIIA	HG2
RDS, Ballistic Blanket, BIIIA, B-III, Titan, Legend	
9mm Full Metal Jacketed Round Nose (FMJ RN)	
.357 Magnum Jacketed Soft Point (JSP)	
.44 Magnum Semi Jacketed Hollow Point (SJHP)	



NIJ0108.01 LEVEL III ++	RF2
Legend	
5.56 x 45mm, 62 gr, M855 (Green Tip)	

Weight of Shields

BIIIA	B-III	Titan	Legend	RDS	3" x 3" Ballistic Blanket
17 lbs / 7.7 kg	30 lbs / 13.6 kg	24 lbs / 10.9 kg	34 lbs / 15.4 kg	8 lbs / 3.6 kg	10.8 lbs / 4.9 kg

Weight listed is a Single-Curve 20" x 34" and includes 4x10 Viewport and C-Handle except for RDS and 3" x 3" Ballistic Blanket.



LEVEL IIIA (HG2)



HighCom RDS™ • Icon Product Range

The HighCom RDS™ (Rapid Deployment Shield) is a Level IIIA flexible, lightweight stand alone shield designed to deploy anytime and anywhere. The RDS has been independently tested by an NVLAP accredited NIJ approved laboratory to meet or exceed ballistic resistance as specified under NIJ Standard 0108.01.

+ NIJ Standard 0108.01 TESTED:

This product has been independently tested by an NVLAP accredited NIJ approved laboratory to meet or exceed ballistic resistance as specified under NIJ Standard 0108.01

+ Protection Level:

Level IIIA stand alone against handgun rounds

+ DEA Tested:

This product meets and/or exceeds DEA standards

+ Thickness:

0.50" or 13mm

+ Material:

Aramid Hybrid

+ Exterior Cover:

1000D CORDURA®, Textured Nylon (removable/washable cover)

+ Handle:

Nylon sewn ambidextrous handle configuration

+ ID placard:

Front Velcro strip for ID attachment

+ DWR:

Water resistant covers

Optional FR fire-retardant treatment available

+ Warranty:

5 years on all ballistic material excluding exterior cover, 1 year on exterior cover material and workmanship

HighCom Ballistic Blanket • Icon Product Range

The HighCom Ballistic Blanket provides Level IIIA protection against handgun rounds, shrapnel and fragments from ballistics and IED's. Designed for rapid deployment, multi-hit capabilities and use as a stretcher for operator extractions. Includes backpack transportation/storage bag.

+ NIJ Standard 0108.01 TESTED:

This product has been independently tested by an NVLAP accredited NIJ approved laboratory to meet or exceed ballistic resistance as specified under NIJ Standard 0108.01

+ Protection Level:

Level IIIA stand alone against handgun rounds in addition to shrapnel and fragments from ballistics and IED's.

+ Areal Density:

1.32 psf (6.44 kg/m²)

+ Thickness:

0.287" or 7.3mm

+ ABMM:

Advanced ballistic matrix materials

+ Material:

Aramid Hybrid soft armor material with proprietary advanced ballistic matrix material components.

+ Exterior Cover:

1000D CORDURA®, Textured Nylon (removable/washable cover)

+ Heavy-duty handles:

Easy positioning and use as a gurney if needed.

+ Key Advantages:

Rapidly deployable with multi-hit capabilities

+ DWR:

Water resistant cover, *Optional FR fire-retardant treatment available*

+ Warranty:

5 years on all ballistic material excluding exterior cover, 1 year on exterior cover material and workmanship

HighCom BIIIA™ • Icon Product Range

The HighCom BIIIA™ is a Level IIIA stand alone against handgun rounds. Engineered from a UHMWPE based material, the BIIIA has been independently tested by an NVLAP accredited NIJ approved laboratory to meet or exceed ballistic resistance as specified under NIJ Standard 0108.01. The BIIIA shield comes standard with a C- Handle, shoulder strap, carry bag and optional 4" x 10" ballistic viewport. Multiple LED light and handle upgrades available.

+ NIJ Standard 0108.01 TESTED:

Tested and verified to meet or exceed ballistic resistance as specified within NIJ Standard 0108.01 by an NIJ accredited laboratory.

+ Protection Level:

Level IIIA stand alone against handgun rounds

+ Sizes Available:

Sizes available in 20"x30", 20"x34", 24"x36" in Flat and Single-Curve. *Other sizes custom order.*

+ Shape:

Available in 3 different shapes - Rectangle, Tactical and MTS.

+ Material:

UHMWPE based material

+ Exterior Cover:

Polyurea with Rhino Extreme™ 11-50 Anti-Spall Coated System

+ Key Advantages:

Multi-hit capability (NIJ 0108.01)

+ Optional Ballistic viewport:

Standard option of a 4" x 10" with optional upgrade of 2.5" x 8.5"

+ Color:

Black with transparent viewport

+ Handle:

Shield comes standard with C-Handle, a lightweight ergonomically designed ambidextrous handle. *Multiple handle upgrades available.*

+ Straps and Bag: Quick release neck strap, molded rubber strap, and shield carrying bag


+ Optional LED Light: Multiple upgrades offered for LED light platforms. *Shield does not come standard with a mounted light.*

+ Warranty: 5 years on all ballistic material excluding exterior cover, 1 year on exterior cover material and workmanship

Available Colors



Available Colors



LEVEL III (RF1)



HighCom B-III™ • Icon Product Range

The HighCom B-III™ is a Level III (RF1) stand alone. Engineered from a UHMWPE based material, the BIII has been independently tested by an NVLAP accredited NIJ approved laboratory to meet or exceed ballistic resistance as specified under NIJ Standard 0108.01. The BIII- shield comes standard with a C- Handle, shoulder strap, carry bag and optional 4" x 10" ballistic viewport. Multiple LED light and handle upgrades available.

+ NIJ Standard 0108.01 TESTED:

Tested and verified to meet or exceed ballistic resistance as specified within NIJ Standard 0108.01 by an NIJ accredited laboratory.

+ Protection Level:

Level III (RF1) stand alone against rifle rounds.

+ Sizes:

Sizes available in 20"x30", 20"x34", 24"x36" in Flat and Single-Curve. Other sizes custom order.

+ Shape:

Available in 3 different shapes -Rectangle, Tactical or MTS.

+ Material:

UHMWPE based material

+ Exterior Cover:

Polyurea with Rhino Extreme™ 11-50 Anti-Spall Coated System

+ Key Advantages:

Multi-hit capability (NIJ 0108.01)

+ Optional Ballistic viewport:

Standard option of a 4" x 10" with optional upgrade of 2.5" x 8.5"

+ Color:

Black with transparent viewport

+ Handle: Shield comes standard with C-Handle, a lightweight ergonomically designed ambidextrous handle. *Multiple handle upgrades available.*

+ Straps and Bag: Quick release neck strap, molded rubber strap, and shield carrying bag.

+ Optional LED Light: Multiple LED light platforms upgrades offered. *Shield does not come standard with a mounted light.*

+ Warranty: 5 years on all ballistic material excluding exterior cover, 1 year on exterior cover material and workmanship.



TITAN III™ • Enhanced Product Range

The TITAN III™ (RF1) is a lightweight, high-performing, multi-hit level III (RF1) rifle shield that reduces operator fatigue. Up to 30% lighter than competitive models, the TITAN is engineered from ultra-light UHMWPE and has been independently tested by an NVLAP accredited NIJ-approved laboratory to NIJ Standard 0108.01. The TITAN's slim profile ensures easy maneuverability when deployed in the field. The TITAN comes standard with C-Handle, 4"x10" ballistic viewport, shoulder strap, and carry bag. Optional handle and LED light combinations are available as an upgrade. The TITAN is also available without a viewport for level III (RF1) rifle protection at 16 pounds!

+ NIJ Standard 0108.01 TESTED:

This product has been independently tested by an NVLAP accredited NIJ approved laboratory to meet or exceed ballistic resistance as specified under NIJ Standard 0108.01.

+ Protection Level:

Level III (RF1) stand alone against rifle rounds and lesser threats.

+ Size Available:

Sizes available in 20"x30", 20"x34", 24"x36" in Flat and Single-Curve. Other sizes custom order.

+ Shapes:

Available in 3 different shapes -Rectangle, Tactical or MTS.

+ Material:

UHMWPE based material

+ Exterior Cover:

Polyurea with Rhino Extreme™ 11-50 Anti-Spall Coated System

+ Key Advantages:

Lightweight and Multi-hit capability (NIJ 0108.01)

+ Optional Ballistic viewport:

Standard option of a 4" x 10" with optional upgrade of 2.5" x 8.5"

+ Color:

Black with transparent viewport

+ Handle:

Shield comes standard with C-Handle, a lightweight ergonomically designed ambidextrous handle, multiple handle upgrades available.

+ Straps and Bag: Quick release neck strap, molded rubber strap, and shield carrying bag.

+ Optional LED Light: Multiple LED light platforms upgrades offered. *Shield does not come standard with a mounted light.*

+ Warranty: 5 years on all ballistic material excluding exterior cover, 1 year on exterior cover material and workmanship



LEVEL III (RF2)



Legend III™ • Superior Product Range

The Legend III™ (RF2) ballistic shield is engineered to provide superior protection against special threats while maintaining lightweight mobility for tactical operators. Designed to meet NIJ Level III (RF2) standards, this shield is capable of stopping 5.56 x 45mm M855 (Green Tip) rounds, as well as common rifle threats including 7.62 x 39mm MSC and 7.62 x 51mm NATO.

+ NIJ Standard 0108.01 TESTED:

This product has been tested to meet or exceed ballistic resistance as specified under NIJ Standard 0108.01.

+ Protection Level:

Level III (RF2) stand alone against rifle rounds and lesser threats.

+ Sizes Available:

18" x 30", 20" x 30" and 20" x 34" in Flat and Single-Curve.

+ Shapes:

Available in 3 different shapes -Rectangle, Tactical or MTS.

+ Material:

UHMWPE based material

+ Exterior Cover:

Polyurea with Rhino Extreme™ 11-50 Anti-Spall Coated System

+ Key Advantages:

lightweight and Multi-hit capability (NIJ 0108.01)

+ Optional Ballistic viewport:

Standard option of a 2.5" x 8.5" with optional upgrade of a 4" x 10".

+ Color:

Black with transparent viewport

+ Handle:

Shield comes standard with C-Handle, a lightweight ergonomically designed ambidextrous handle, multiple handle upgrades available.

+ Straps and Bag: Quick release neck strap, molded rubber strap, and shield carrying bag

+ Optional LED Light: Multiple upgrades offered for LED light platforms. *Shield does not come standard with a mounted light.*

+ Warranty: 5 years on all ballistic material excluding exterior cover, 1 year on exterior cover material and workmanship



SHIELD OPTIONS

Design & Development Options

We offer custom shield solutions and shapes. Shields are available with and without a viewport and can be configured with multiple handle and LED light options including Elzetta and FoxFury solutions. **Contact our sales team for more information about available cuts and custom build solutions.**

SHAPES AND SIZES



Rectangle



MTS



Tactical

Available Shield Sizes

20"x 30"

20"x 34"

24"x 36"

Custom Sizes Available for Special Order.

ACCESSORIES

HORIZONTAL HANDLE



TRIDEXTROUS HANDLE



ELZETTA SHIELD LIGHT



Elzetta Shield Light + Handles



Elzetta LED Light and Horizontal Handle features integrated solid-state tape switch while Elzetta LED Light and TriDextrous Control Handle has three unique gripping surfaces with light-activating switches in each location. Both models have wide uniform beam pattern (1,000 lumen) with optional strobe light. Compatible with HighCom's B111A, B-III, Titan and Legend shields.



HighCom C-Handle

Standard shield handle secure and ambidextrous grip during tactical operations. *Included with shields.*



HighCom Shield Carrying Bag

Durable carrying and storage bag for ballistic shields, available in black and in three sizes. *Included with shields.*



FOREARM STRAP (LEVEL 3A)



MOLDED RUBBER STRAP (LEVEL 3)

HighCom Shield Straps

HighCom Hard Armor Shields include a forearm or molded rubber strap for a secure grip. *Included with shields.*



HighCom Ambidextrous Handle

Advanced tactical solution with comfortable and ambidextrous carry system for longer use without fatigue.



HighCom Battery Pouch

Durable carrying and storage bag for extra light batteries, attaches to the back of the shield for easy access. Only available in black.



HighCom Cam Buckle Kit

Provides operators with a supportive strap that is easily adjusted or removed. Available in black only.



Foxfury Taker B30



This front mounted 1000 lumen, high CRI LED light is retrofit in existing ballistic shields. It has a single pressure switch that activates the light and changes modes. Compatible with HighCom's B111A, B-III, Titan and Legend shields.



Foxfury Taker B50



Powerful LED 1000 lumen LED shield light with single switch operation. It is retro fit in existing shield. Compatible with HighCom's B111A, B-III, Titan and Legend.



Foxfury Taker B70



Powerful 1200 lumen light with handle, duel settings (on/off and tactical) with three modes momentary, continuous on, and disorienting turbo-strobe.



SOFT ARMOR

BALLISTIC RESISTANT PANELS

IN THIS SECTION

Ballistic Threats Tested

Ballistic Panels
(Level II, Level IIIA)


Panel Cuts

Soft Armor Accessories

- + Protector Soft Armor Attachments
- + Trauma Inserts


BALLISTICS THREATS TESTED

NIJ 0101.06 LEVEL II	
sa2300, sa2910	
9mm Full Metal Jacketed Round Nose (FMJ RN)	
.357 Magnum Jacketed Soft Point (JSP)	
.40 S&W Full Metal Jacketed (FMJ)	



.357 MAG 9MM FMJ .40 S&W

NIJ 0101.06 LEVEL IIIA	
sa3100, sa3200, sa3920	
.357 SIG FMJ Flat Nose (FN)	
.44 Magnum Semi Jacketed Hollow Point (SJHP)	
Additional Threats include Level II	



.357 SIG .44 MAG SJHP 9MM +P+ (SXT)

NIJ 0101.06 Special Threat

sa3100, sa3200, sa3920			
DEA 2017, 9mm, 124 gr. Full Metal Jacketed Round Nose (FMJ RN)	DEA 2017, US MIL-STD Frag 4 gr. RCC	FBI, 9mm, 124 gr. Full Metal Jacketed Round Nose	9mm +P+ (SXT)
DEA 2017, 40 S&W, Speer Gold Dot Hollow Point (GDHP)	DEA 2017, US MIL-STD Frag 16 gr. RCC	.357 Magnum Jacketed Soft Point (JSP)	9mm Luger JHP, Speer Gold Dot
DEA 2017, 9mm Luger, Speer Gold Dot II	DEA 2017, US MIL-STD Frag 64 gr. RCC	5.7 x 28mm SS197, Hornady V-Max Blue Tip	7.62 x 25mm Tokarev 85 gr FMJ
DEA 2017, 9mm +P+ (SXT)	FBI, 9mm +P+ (SXT)	.45 Auto BJHP	US MIL-STD Frag 17 gr. FSP
DEA 2017, US MIL-STD Frag 2 gr. RCC	FBI .40 S&W JHP, Speer Gold Dot (GDHP)	5.7 x 28mm SS195, Lead Free Hollow Point (LFHP)	.40 S&W JHP, Speer Gold Dot

LEVEL II

NIJ Certified Models
High-Performance, Ultra-Light & Thin



sa2300™ • Enhanced Product Range

The sa2300™ Level II soft armor provides for a comfortable, thin and flexible soft armor solution. Engineered with a proprietary hybrid solution of woven and unidirectional protective materials, utilizing Twaron® aramid fibers, the sa2300™ is NIJ 0101.06 compliant "Certified" by NIJ and can be found on the NIJ's CPL (Compliant Product List).

+ NIJ Standard 0101.06 CERTIFIED:

This product is NIJ 0101.06 compliant and can be found on the NIJ's CPL (Compliant Product List)

+ Protection:

Level II stand alone against handgun rounds

+ Areal Density:

0.94 psf (4.59kg/m²)

+ Thinness:

0.18" or 4.57mm

+ Key Advantages:

Multi-hit capabilities, Thin construction, Flexible panel design

+ Material:

Proprietary hybrid solution of woven and unidirectional protective materials, utilizing Twaron® aramid fibers

+ Panel Cover:


Ultrasonically sealed Nylon Ripstop

+ Custom sizing:

Available for minimum quantity +20% surcharge per size

+ Warranty:

5 years on all ballistic material, 1 year on exterior cover material and workmanship



sa2910™ • Superior Product Range

The sa2910™ is our lightest and thinnest Level II soft armor solution. Engineered with a unique matrix system of advanced PEUD Dyneema® and patented woven aramid. The sa2910™ is a high-performing option. The sa2910™ is NIJ 0101.06 compliant "Certified" by NIJ and can be found on the NIJ's CPL (Compliant Product List).

+ NIJ Standard 0101.06 CERTIFIED:

This product is NIJ 0101.06 compliant and can be found on the NIJ's CPL (Compliant Product List)

+ Protection:

Level II stand alone against handgun rounds

+ Areal Density:

0.70 psf (3.42 kg/m²)

+ Thinness:

0.13" or 3.3mm

+ Key Advantages:

Multi-hit capabilities, Super-lightweight construction, High-performance

+ Material:

Proprietary hybrid solution of DSM Dyneema® UHMWPE and Twaron® Aramid unidirectional protective materials

+ Panel Cover:


Ultrasonically sealed Nylon Ripstop

+ Custom sizing:

Available for minimum quantity +20% surcharge per size

+ Warranty:

5 years on all ballistic material, 1 year on exterior cover material and workmanship



LEVEL IIIA

NIJ Certified Models
High-Performance, Ultra-Light & Thin



sa3100™ • Icon Product Range

The sa3100™ is high performing, cost effective level IIIA soft armor solution. Engineered with a proprietary hybrid solution of woven and unidirectional protective materials, utilizing Twaron® aramid fibers, the sa3100™ is NIJ 0101.06 compliant “Certified” by NIJ and can be found on the NIJ’s CPL (Compliant Product List).

+ NIJ Standard 0101.06 CERTIFIED:

This product is NIJ 0101.06 compliant and can be found on the NIJ’s CPL (Compliant Product List)

+ Protection:

Level IIIA stand alone against handgun rounds

+ DEA Tested:

This product meets and/or exceeds DEA standards

+ FBI Tested:

This product meets and/or exceeds FBI requirements

+ Areal Density:

1.32 psf (6.44kg/m²)

+ Thinness:

0.29” or 7.37mm

+ Key Advantages:

Multi-hit capabilities, High-performance, Water Resistant

+ Material:

Proprietary hybrid solution of woven and unidirectional protective materials, utilizing Twaron® aramid fibers

+ Panel Cover:

Ultrasonically sealed Nylon Ripstop

+ Custom sizing:

Available for minimum quantity +20% surcharge per size

+ Warranty:

5 years on all ballistic material, 1 year on exterior cover material and workmanship



sa3200™ • Enhanced Product Range

The sa3200™ is a lightweight and cost-effective Level IIIA soft armor solution. Engineered with a proprietary hybrid solution of DSM Dyneema® UHMWPE and Heracron® woven aramid fibers, the sa3200™ is multi-shot rated and tested to NIJ 0101.06 standard.

+ NIJ Standard 0101.06 TESTED:

This product has been independently tested by an NVLAP accredited NIJ approved laboratory to meet or exceed ballistic resistance as specified under NIJ Standard 0101.06.

+ Protection:

Level IIIA stand alone against handgun rounds

+ Areal Density:

1.25 psf (6.1 kg/m²)

+ Thinness:

0.28” or 7.1mm

+ Key Advantages:

Multi-hit capabilities, High-performance, Lightweight, Water Resistant

+ Material:

Proprietary hybrid solution of DSM Dyneema® UHMWPE and Heracron® woven aramid fibers

+ Panel Cover:

Ultrasonically sealed nylon Ripstop

+ Custom sizing:

Available for minimum quantity +20% surcharge per size

+ Warranty:

5 years on all ballistic material, 1 year on exterior cover material and workmanship



sa3920™ • Superior Product Range

Our premium soft armor solution, the sa3920™ is our lightest and thinnest Level IIIA panel. Rigorously tested to NIJ, DEA, and FBI federal standards, the sa3920™ provides multi-shot protection for handguns and special threats. Engineered with a proprietary hybrid solution of DSM Dyneema® UHMWPE & Twaron® aramid unidirectional protective materials, the sa3920™ is NIJ 0101.06 compliant “Certified” by NIJ and can be found on the NIJ’s CPL (Compliant Product List).

+ NIJ Standard 0101.06 CERTIFIED:

This product is NIJ 0101.06 compliant and can be found on the NIJ’s CPL (Compliant Product List)

+ Protection:

Level IIIA stand alone against handgun rounds

+ DEA Tested:

This product meets and/or exceeds DEA standards

+ FBI Tested:

This product meets and/or exceeds FBI requirements

+ Areal Density:

0.86 psf (4.198kg/m²)

+ Thinness:

0.19” or 4.82mm

+ Key Advantages:

Multi-hit capabilities, Super-lightweight construction, Ultra-Thin, High-performance, Water Resistant

+ Material:

Proprietary hybrid solution of DSM Dyneema® UHMWPE and Twaron® Aramid unidirectional protective materials

+ Panel Cover:

Ultrasonically sealed Nylon Ripstop

+ Custom sizing:

Available for minimum quantity +20% surcharge per size

+ Warranty:

5 years on all ballistic material, 1 year on exterior cover material and workmanship

SOFT ARMOR

PANEL CUTS

Soft armor panels are designed to fit a variety of carriers, but compatibility can vary depending on size, cut, and model specifications. To ensure your soft armor panels work seamlessly with your chosen carrier, we recommend confirming with one of our knowledgeable sales representatives.



CONCEALABLE



TACTICAL



TORSO FULL



TORSO SHOOTER



BALCS SPEAR




TORSO SAPI CUT



CUMMERBUND



K-9



ACCESSORIES

PROTECTORS

Protection for Deltoids, Shoulder Inserts, Groin, Lower Abdomen, Neck/Collar, and Yoke.



Protector sa3100™, sa3200™, sa3920™

The Protector soft armor carrier attachments are 100% made in the USA and offer advanced protection and up-armor coverage for neck/collar, yoke, deltoids, lower abdomen, shoulder inserts, and groin. Protector attachments are designed for special operators from military and law enforcement looking for a fully scalable system that can be interchangeable during deployment operations to fit the needs of the end user.

+ NIJ Standard 0101.06 TESTED:

Tetsted and verified to meet or exceed ballistic resistance as specified under NIJ 0101.06 .

+ Protection:

Level IIIA stand alone against handgun rounds

+ Soft Armor Solution:

sa3100, sa3200,, sa3920

+ Key Advantages:

Multi-hit capabilities, Sonobond sealed Ripstop water-resistant cover.

+ Material:

Enhanced blend of woven and unidirectional aramid fibers.

+ Exterior Cover:

1000D CORDURA®, Textured Nylon (removable/washable cover.

+ MOLLE/PALS System:

Included for cummerbund and attachments of various components.

+ Warranty:

5 years on all ballistic material, 1 year on exterior cover material and workmanship

Items available to be sold seperately

Available Colors



TRAUMA INSERTS FOR BLUNT FORCE REDUCTION



HighCom STI

The HighCom STI™ (Soft Trauma Insert) is not rated for ballistic threats and should be used for trauma reduction only. The STI is available in multiple cuts and sizes.

+ Protection:

Reduced blunt force trauma injury to the torso resulting from a bullet's striking an armor - trauma inserts are NOT rated for ballistic threat and used only for trauma reduction.

+ Usage:

Trauma inserts can be worn with soft armor or hard armor to reduce trauma BFS.

+ Thickness:

0.25" or 6.35mm

+ Material:

Aramid protective materials

+ Insert Cover:

Ultrasonically sealed Nylon Ripstop

+ Sizing:

All sizes are measured in inches and weights vary by size, weight based on 1 psf AD.

+ Warranty:

1 year on exterior cover material and workmanship



HighCom HTI

The HighCom HTI™ (Hard Trauma Insert) is not rated for ballistic threats and should be used for trauma reduction only. The HTI is available in multiple cuts and sizes.

+ Protection:

Reduced blunt force trauma injury to the torso resulting from a bullet's striking an armor - trauma inserts are NOT rated for ballistic threat and used only for trauma reduction.

+ Usage:

Trauma inserts can be worn with soft armor or hard armor to reduce trauma BFS.

+ Thickness:

0.25" or 6.35mm

+ Material:

UHMWPE protective materials

+ Insert Cover:

Ultrasonically sealed Nylon Ripstop

+ Sizing:

All sizes are measured in inches and weights vary by size, weight based on 1 psf AD.

+ Warranty:

1 year on exterior cover material and workmanship





OUTER SHELLS & PLATFORMS

ARMOR CARRIERS

IN THIS SECTION

Plate Carriers

K9

Gear & Accessories

ID Placards



HighCom Concealable™

The HighCom Concealable™ Carrier is worn under your uniform shirt. Lightweight and breathable, our concealable carrier utilizes moisture-wicking, anti-microbial material to keep you cool and comfortable during your shift. Shirt tails available upon request.

+ Armor Compatibility:

HighCom Soft Armor concealable panels

+ Outer Shell Material:

Ultra High-Performance exterior mesh fabric for premium comfort (Black, Navy, White) or 500D Nylon Wolf Gray, Desert Tan, Coyote) or 600D Polyester (LAPD Blue)

+ Inner Liner:

Microfiber moisture wicking antimicrobial inner liner (All Carriers have black interior only)

+ FASS:

Fully adjustable suspension system

+ Strap System:

Unique ultra-comfort strap system

+ Trauma Plate Pocket:

Standard 5"x8" trauma pocket (trauma insert sold separately) Optional upgrade 8"x10" up to 10"x12" trauma pocket (upgrade is size-dependent as smaller carriers cannot take these pockets)

+ Carrier Configuration Options:

Carrier shirt-tail upgrade available upon request

+ Weight:

1.05 lbs / 0.48 kg (based on size large)

+ Warranty:

2 years on exterior cover material and workmanship



UDC Crossover™

The UDC Crossover™ (Utility Dress Carrier) is designed to be worn over the uniform shirt and while offering a professional appearance and carry equipment that is usually worn on the duty belt. The UDC can be donned and doffed quickly with ease, and is sized specifically to fit any HighCom Armor concealable soft armor panels with the option to add rifle armor plates.

+ Armor Compatibility:

HighCom Soft Armor concealable panels

+ Front Closure System:

Front zipper opening with cover flap

+ Ventilation / Drainage:

Base grommet holes

+ Back Construction:

Uniform rear pleating

+ Accessory Mounting – Front:

Camera tab integrated into zipper cover

+ Communication Integration:

Shoulder-mounted microphone tabs

+ Pocket Configuration:

Functional dress pockets with faux button-down flaps

+ Load-Bearing Interface:

Three-row front MOLLE webbing

+ Utility Storage:

Ambidextrous utility pockets

+ Includes:

Standard 5"x8" trauma pocket (trauma insert sold separately)

Front and Rear plate pockets fit 8"x10", 10"x12", and SAPI XS-M plates.

+ Warranty:

2 years on exterior cover material and workmanship



CTAC Crossover™

The CTAC™ (Concealable Tactical Carrier) is designed to accept our concealable ballistic cut panels and can be worn as an overt or covert carrier. Fully adjustable, the CTAC features side cummerbund that can also accommodate soft armor and can be scaled up or down depending on the mission. A robust carrier, the CTAC was designed to provide optimal mobility while providing load-bearing capabilities.

+ Armor & Accessory Compatibility:

Compatible with HighCom Soft Armor Concealable Panels, HighCom Rifle Armor Plates, and Protector Soft Armor Attachments (Groin, Deltoids, Low Abdomen, Yoke)

+ Exterior Material:

1000D CORDURA® nylon exterior

+ Interior Lining & Ventilation:

Spacer mesh interior lining

+ Load-Bearing Interface:

Front and rear MOLLE webbing

+ Cummerbund System:

Velcro®-adjustable MOLLE cummerbund (accepts ballistic inserts) *Optional quick-release cummerbund system and custom sizing available.*

+ Trauma Plate Pocket:

Standard 5" x 8" trauma pocket included (trauma insert sold separately)

+ Plate Pocket Configuration:

Top-loading front and rear plate pockets. Accepts 10" x 12" and 8" x 10" plates (Smaller carrier sizes accept 8" x 10" plates)

+ Shoulder Strap System:

Mesh-lined, foam-padded, adjustable shoulder straps. *Optional 4" elastic side strap (when cummerbund is removed)*

+ Communication & Emergency Features:

Sewn-on shoulder mic tabs and reinforced drag handle

+ Identification Interface:

Velcro® loop field for identification placard.

Recommended placard size: 3" x 10" front, 4" x 10" rear.

+ Weather Resistance:

DWR-treated exterior for water resistance

+ Weight:

2.53 lbs / 1.53 kg (size Large)

+ Options:

Configuration Features & Velcro® for name tag and badge grommet holes

+ Warranty:

2-year warranty on exterior cover material and workmanship

Available Colors



Available Colors



Available Colors





ACAP Slim™

The ACAP Slim™ (Advanced Carrier Armor Patrol – Slim) is a lightweight and streamlined variation of our standard ACAP system. Designed for enhanced mobility and everyday comfort, the ACAP Slim™ accommodates common hard armor rifle plate sizes while removing the traditional cummerbund layout. In its place, the Slim utilizes dual 2" nylon side straps with left- and right-side buckle closures, allowing fast donning and doffing, greater airflow, and reduced bulk without compromising stability. High-visibility reflective material can be added to the front and rear panels of the carrier to support identification and visibility in low-light environments. Ideal for patrol and rapid-response needs, the ACAP Slim™ offers a clean profile and improved maneuverability during extended wear. It delivers a simple, reliable armor carrier solution for agencies seeking reduced weight, faster deployment, and functional daily performance.

+ Armor & Accessory Compatibility: Soft Armor Torso, HighCom Rifle Armor Plates, Protector Soft Armor Attachments (Deltoids). Front and rear plate pockets accept 8"x10", 10"x12", SAPI S, and SAPI M plates (custom sizing available)

+ Material: 1000D CORDURA® Nylon exterior materials, Foam shoulder inserts for comfort fit with spacer mesh lined padding

+ FASS: Fully adjustable four-point suspension system

+ Identification Interface: Velcro® loop for identification placard
Recommended Placard Size: 4" x 8"

+ Communication & Emergency Features: Sewn-on mic tabs, Reinforced drag handle

+ Weather Resistance: DWR treated package for water-resistance

+ Weight: 2.56 lbs / 1.16 kg (OSFA)

+ Warranty: 2 years on exterior cover material and workmanship



ACAP™

The ACAP™ (Advanced Carrier Armor Patrol) accommodates common hard armor rifle plate sizes and can be outfitted with cummerbund soft armor inserts and deltoid soft armor attachment for added protection. Option to feature 360 high-vis reflective material to keep your team visible while engaged in life-saving missions. Designed for everyday wear, the ACAP™ offers a basic and flexible carrier system for armor patrol officers.

+ Armor & Accessory Compatibility: Soft Armor Torso & Cummerbund Panels, HighCom Rifle Armor Plates, Protector Soft Armor Attachments (Deltoids). Front and rear plate pockets accept 8"x10", 10"x12", SAPI S, and SAPI M plates (custom sizing available)

+ Material: 1000D CORDURA® Nylon exterior materials, Foam shoulder inserts for comfort fit with spacer mesh lined padding

+ FASS: Fully adjustable four-point suspension system

+ Maximum Versatility: 360 degrees MOLLE webbing
External wraparound 6"x11" cummerbund platform

+ Identification Interface: Velcro® loop for identification placard
Recommended Placard Size: 4" x 8"

+ Communication & Emergency Features: Sewn-on mic tabs, Reinforced drag handle

+ Weather Resistance: DWR treated package for water-resistance

+ Weight: 2.56 lbs / 1.16 kg (OSFA)

+ Options: Upgrade to larger 6" x 14" cummerbund, or custom sizing available. Optional Quick Release cummerbund system .

+ Warranty: 2 years on exterior cover material and workmanship



ACAP Gen 2™

The ACAP Gen 2™ is our latest evolution on our popular ACAP plate carrier system and was engineered from the valuable feedback and insight from a U.S. law enforcement special operations team. The ACAP Gen 2™ is loaded with new upgrades and features such as Cobra Buckles Quick Release Cummerbund, removable Triple Open-Top M4 Mag Insert, Kangaroo Pouch, and premium interior and shoulder mesh padding for added comfort for prolonged deployment wear time.

+ Armor & Accessory Compatibility: Soft Armor Torso and Cummerbund Panels, HighCom Rifle Armor Plates, Protector Soft Armor Attachments (Groin, Deltoids, Shoulder Inserts)

+ Material: 1000D CORDURA® Nylon exterior materials

+ Comfort & Padding: Torso lining spacer mesh padding for improved operator comfort with thicker more robust foam shoulder inserts

+ FASS: Fully adjustable four-point suspension system, 360 degrees MOLLE/PALS webbing

+ Cummerbund & Closure System
External wraparound 6"x11" cummerbund platform, COBRA® Buckles Quick Release cummerbund system accepts soft armor inserts, rifle armor side plates 6" x 6" and 6" x 8" (integrated side plate pouches provided with the purchase of side plates) *Optional upgrade to larger 6"x14" cummerbund and custom sizing available for cummerbund.*

+ Identification Interface: Velcro loop for identification placard
Recommended Placard Size: 4" x 8"

+ Communication & Emergency Features: Sewn-on mic tabs, reinforced extendable pull-out drag handle
Kangaroo pouch, triple open-top M4 mag insert (removable)

+ Weather Resistance: DWR treated package for water-resistance
Front and rear plate pockets accept 8"x10", 10"x12", SAPI S, and SAPI M plates (custom sizing available)

+ Weight & Sizing: 2.56 lbs / 1.16 kg (OSFA)


+ Includes: Wear face foam on plate pockets for maximum comfort
Velcro loop on wear face of plate pockets to support Plate Carrier Ventilation Pontoons

+ Warranty: 2 years on exterior cover material and workmanship

Available Colors




Available Colors



Available Colors





K-9

The K-9 vest is a custom fitted and fully adjustable canine carrier. The K-9 vest offers canines full range of motion for optimal mobility and comfort. The K-9 vest can be worn with Level IIIA ballistic or stab resistant soft armor panels.

+ Armor Compatibility:

Custom fitted soft armor panels available in NIJ Standard 0101.06 Level II or Level IIIA and NIJ 0115.00 stab resistant panels.

+ Material:

500D CORDURA® Nylon exterior materials, Spacer mesh inner liner

+ Attachment & Webbing:

MOLLE webbing on sides, 1.5" steel welded D-ring for handler attachments

+ Closure System:

Velcro® and buckle closure for secure, easy use

+ Identification:

Velcro® loop panel for identification placard

+ Weather Resistance:

DWR treated package for water-resistance


+ Weight:

1.4 lbs / 0.64 kg (based on size medium)

+ Warranty:

2 years on exterior cover material and workmanship

Available Colors



PLACARDS & POUCHES

PLATE CARRIER GEAR AND ACCESSORIES



Armor Carrier Kit Bag

Engineered to specifically store Armor Carrier Kit life-saving gear, this tactical bag efficiently holds a plate carrier and hard armor plates. Constructed from premium CORDURA® Nylon for tactical storage that is tear and scuff resistant.

+ Material:

1000D CORDURA® Nylon

+ Carry & Handling:

Dual Reinforced Handles

+ Access & Closure:

Wide zipper closure for easy access to equipment

+ Identification & Attachment:

Hook and loop for ID placard with MOLLE for attachments

Available Colors



Side Plate Pocket

The GSPP™ (Side Plate Pocket) allow the operator to add side armor protection to any HighCom plate carrier with a cummerbund system. Available as a set of two, the GSPP will accommodate both 6"x 6" and 6"x 8" side plates. Plate pockets come standard when side plates are purchased with a carrier.

+ Material:

1000D CORDURA® Nylon

+ Available sizes:

6"x 6" or 6"x 8"

+ Compatible carriers:

ACAP, ACAP Gen 2, APC, TRV

Available Colors



CUSTOMIZABLE

ID PLACARDS

ID Placards for law enforcement and military are 100% handmade in the USA. ID Placards are constructed of woven Nylon and have Velcro hook backing for quick attachment and removal. Police and Sheriff placards are kept in stock. Custom inscriptions available.

+ Identification:

ID Placards are available in police, sheriff, and custom letters

+ Exterior Cover:

CORDURA® Nylon with a Velcro hook

+ Sizes:

1"x5", 2"x4", 4"x8", 3"x10", 4"x10", 4"x14"

+ Weather Resistance:

DWR water-resistant

+ Options:

FR fire-retardant treatment

+ Warranty:

1 year warranty on exterior cover material and workmanship



Placard Colors

BLACK	RANGER GREEN	OD GREEN (CAMO 483)
MULTICAM	COYOTE	WOLF GREY
DESERT	RED	NAVY
LAPD BLUE		

Letter Colors

BLACK	WHITE	GOLD
GREY	FLUORESCENT LIME YELLOW	



SIZES	NAME	PLACARD COLORS	LETTER COLORS
1"x5"	Police, Sheriff, Custom	Black, Coyote, Multi-Cam, OD Green, Ranger Green, Wolf Grey, Desert, LAPD Blue, Red, Navy	Black, White, Gold, Grey, Fluorescent Lime-Yellow
2"x4"	Police, Sheriff, Custom	Black, Coyote, Multi-Cam, OD Green, Ranger Green, Wolf Grey, Desert, LAPD Blue, Red, Navy	Black, White, Gold, Grey, Fluorescent Lime-Yellow
4"x8"	Police, Sheriff, Custom	Black, Coyote, Multi-Cam, OD Green, Ranger Green, Wolf Grey, Desert, LAPD Blue, Red, Navy	Black, White, Gold, Grey, Fluorescent Lime-Yellow
3"x10"	Police, Sheriff, Custom	Black, Coyote, Multi-Cam, OD Green, Ranger Green, Wolf Grey, Desert, LAPD Blue, Red, Navy	Black, White, Gold, Grey, Fluorescent Lime-Yellow
4"x10"	Police, Sheriff, Custom	Black, Coyote, Multi-Cam, OD Green, Ranger Green, Wolf Grey, Desert, LAPD Blue, Red, Navy	Black, White, Gold, Grey, Fluorescent Lime-Yellow.5
4"x14"	Police, Sheriff, Custom	Black	Black, White, Gold, Grey, Fluorescent Lime-Yellow

CARRIERS	RECOMMENDED SIZE	SHIELDS	RECOMMENDED SIZE
ACAP Gen 2	4"x8"	LEGEND	4"x10" or 4"x14"
ACAP	4"x8"	TITAN	4"x10" or 4"x14"
ACAP Slim	4"x8"	B-III	4"x10" or 4"x14"
CTAC	3"x10"- front 4"x10"-rear	BIIIA	4"x10" or 4"x14"
K-9	3"x10"	RDS	4"x10"

POUCHES

Tactical Molle Pouches are high-performance pouches built to endure extreme and rugged conditions and are resistant to abrasions, tears, and scuffs. All of our pouches are manufactured in Columbus, Ohio, and sewn by hand from lightweight 1000D CORDURA® Nylon and treated with DWR for water-resistant finish. Designed to deliver maximum comfort and long-lasting wear, Pouches attach to any carrier with MOLLE/PALS webbing.

+ Materials & Fabric Construction:

1000D CORDURA® Nylon, DWR water-resistant coating, High-performance fabrics engineered for abrasion, tear and scuff resistance

+ Durability & Performance:

Built for tactical reliability in demanding environments

+ Attachment Hardware & Systems:

Military standard MOLLE attachment systems, hard action snaps, and Velcro® fasteners.

+ Optional Treatments & Finishes:

FR (fire-retardant) treatments and IR (infrared-resistant) finishes available

+ Warranty:

2 year warranty on exterior cover and workmanship

Available Colors

BLACK	RANGER GREEN	OD GREEN (CAMO 483)
MULTICAM	COYOTE	WOLF GREY



AMMUNITION/MAGAZINE POUCHES



UTILITY & MISCELLANEOUS POUCHES

AMMUNITION & MAGAZINE POUCHES

	MPN	REF#
Single Pistol Mag Pouch	SPM	1
Double Pistol Mag Pouch	DPM	2
Triple Pistol Mag Pouch	TPM	3
Single Open Top M4 Mag Pouch	SOTM4	4
Double Open Top M4 Mag Pouch	DOTM4	5
Triple Open Top M4 Mag Pouch	TOTM4	6
Single Open Top M4 Kangaroo Pouch	SOTM4K	7
Double Open Top M4 Kangaroo Pouch	DOTM4K	8
Triple Open Top M4 Kangaroo Pouch	TOTM4K	9
Single Stacker M4 Mag Pouch	SSTACKM4	10
Double Stacker M4 Mag Pouch	DSTACKM4	11
Triple Stacker M4 Mag Pouch	TSTACKM4	12
12 Round Shotgun Shell Pouch	12SG	13

LESS LETHAL POUCHES

	MPN	REF#
Flash Bang Pouch	BANG	14
Baton Pouch	BATON	15
Pepper Spray Pouch	PEPSPRAY	16
Electroshock Device Pouch	TAS	17

UTILITY & MISC. POUCHES

	MPN	REF#
Admin Pouch	ADMIN	18
Small Utility Pouch	UTILITYS	19
Large Utility Pouch	UTILITYL	20
Tourniquet Pouch	TQ	21
Single Handcuff Pouch	SCUFF	22
Double Handcuff Pouch	DCUFF	23
Medical Pouch	MED	24
Gas Mask Pouch	GAS	25
Glove Pouch	GLOVE	26
Flashlight Pouch	LIGHT	27
Universal Radio Pouch	RADIO	28



LESS LETHAL POUCHES



AMMUNITION/MAGAZINE POUCHES



Single Open Top M4 Mag



Double Open Top M4 Mag



Triple Open Top M4 Mag



Single Open Top M4 Kangaroo



Double Open Top M4 Kangaroo



Triple Open Top M4 Kangaroo



Single Stacker M4 Mag



Double Stacker M4 Mag



Triple Stacker M4 Mag



Single Pistol Mag



Double Pistol Mag



Triple Pistol Mag



12 Round Shotgun

UTILITY & MISCELLANEOUS POUCHES



Admin Pouch



Small Utility Pouch



Large Utility Pouch



Tourniquet Pouch +



Glove Pouch



Flashlight Pouch



Universal Radio Pouch



Single Handcuff Pouch



Double Handcuff Pouch



Medical Pouch +



Gas Mask Pouch

LESS LETHAL POUCHES



Flash Bang Pouch



Baton Pouch



Pepper Spray Pouch



Electroshock Device Pouch

WE'VE GOT YOU COVERED.



HighCom Armor Solutions Inc

2901 E 4th Ave, Unit J
Columbus, OH 43219,
United States

Phone: +1 (614) 500 3065
Fax: +1 (614) 405 7222
Email: sales@highcomarmor.com
Web: www.highcomarmor.com

CAGE #: 1VHQ3
UEI : DMNKN1CHDFV1
Duns #: 119881597
EIN #: 94-3266279
Ohio Tax ID #: 90-503-555
GSA Contract #: 47QSMS25D00C4
Sourcewell Contract #: 091924-HCM
ISO 14001:2015 #: C2025-03848
ISO 9001:2015/BA 9000:2016: C2023-03030

 /highcomarmor
 @highcomarmor
 /highcom-armor
 /highcomarmor
 /highcomarmor

